





Katalog povratne embalaže  
Returnable Packaging Catalogue


Dobaviteljev pripomoček pri pakiranju /  
Supplier packaging manual


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799000148 zabo	799002131 pokrov	Tara / Tara:	0,3 Kg	
			Maks. obr. / Max.load:	15 Kg	
Dodaten opis / Addit. descr.:	Zaboj PP	Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen	Notr. vol. / Inner vol.:	4 l		
Dimenzije / Dimensions (mm)			Transport / Transport		
	Zun./Out.	Not./Ins.			
D / L:	300	258	Na plast / Per layer:	16	
Š / W:	200	158	V višino / In height:	7	
V / H:	120	103/97			


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799000418 zabo	799000289 pokrov	Tara / Tara:	0,9 Kg	
			Maks. obr. / Max.load:	20 Kg	
Dodaten opis / Addit. descr.:	Zaboj PP	Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen	Notr. vol. / Inner vol.:	10 l		
Dimenzije / Dimensions (mm)			Transport / Transport		
	Zun./Out.	Not./Ins.			
D / L:	400	354	Na plast / Per layer:	8	
Š / W:	300	254	V višino / In height:	7	
V / H:	120	105/93			


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799002639 zabo	799002003 pokrov	Tara / Tara:	1,26 Kg	
			Maks. obr. / Max.load:	20 Kg	
Dodaten opis / Addit. descr.:	Zaboj PP	Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen	Notr. vol. / Inner vol.:	24 l		
Dimenzije / Dimensions (mm)			Transport / Transport		
	Zun./Out.	Not./Ins.			
D / L:	600	552	Na plast / Per layer:	4	
Š / W:	400	352	V višino / In height:	7	
V / H:	120	103/96			


Vrsta / Type			Teža-Volumen / Mass-volume		Nepripor. / Not preferred	
Mahle šifra / Mahle ID:	799002639 zabo 799002003 pokrov		Tara / Tara:	1,51 Kg		
			Maks. obr. / Max.load:	20 Kg		
Dodaten opis / Addit. descr.:	Zaboj PP		Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen		Notr. vol. / Inner vol.:	35 l		
Dimenzije / Dimensions (mm)			Transport / Transport			
	Zun./Out.	Not./Ins.				
D / L:	600	559	Na plast / Per layer:	4		
Š / W:	400	359	V višino / In height:	5		
V / H:	170	165/153				


Vrsta / Type			Teža-Volumen / Mass-volume		Nepripor. / Not preferred	
Mahle šifra / Mahle ID:	799000818 zabo 799002003 pokrov		Tara / Tara:	1,76 Kg		
			Maks. obr. / Max.load:	20 Kg		
Dodaten opis / Addit. descr.:	Zaboj PP		Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen		Notr. vol. / Inner vol.:	45 l		
Dimenzije / Dimensions (mm)			Transport / Transport			
	Zun./Out.	Not./Ins.				
D / L:	600	552	Na plast / Per layer:	4		
Š / W:	400	352	V višino / In height:	3		
V / H:	220	203/196				


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred	
Mahle šifra / Mahle ID:	799002232 zabo 799002225 pokrov		Tara / Tara:	0,98 Kg		
			Maks. obr. / Max.load:	15 Kg		
Dodaten opis / Addit. descr.:	Zaboj PPL		Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen ESD		Notr. vol. / Inner vol.:	4,2 l		
Dimenzije / Dimensions (mm)			Transport / Transport			
	Zun./Out.	Not./Ins.				
D / L:	300	252	Na plast / Per layer:	24		
Š / W:	200	152	V višino / In height:	8		
V / H:	117	105/102				


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799002272 zabo	799002224 pokrov	Tara / Tara:	1,01 Kg	
			Maks. obr. / Max.load:	20 Kg	
Dodaten opis / Addit. descr.:	Zaboj PPL	Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen ESD	Notr. vol. / Inner vol.:	10 l		
Dimenzije / Dimensions (mm)			Transport / Transport		
	Zun./Out.	Not./Ins.			
D / L:	400	354	Na plast / Per layer:	8	
Š / W:	300	254	V višino / In height:	8	
V / H:	120	105/93			


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799002264 zabo	799002234 pokrov	Tara / Tara:	1,9 Kg	
			Maks. obr. / Max.load:	20 Kg	
Dodaten opis / Addit. descr.:	Zaboj PPL	Meja za ročno manip. / Manual handl. limit:	12 Kg		
Material:	Polipropilen ESD	Notr. vol. / Inner vol.:	29,4 l		
Dimenzije / Dimensions (mm)			Transport / Transport		
	Zun./Out.	Not./Ins.			
D / L:	600	552	Na plast / Per layer:	4	
Š / W:	400	352	V višino / In height:	6	
V / H:	150	127			


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799002588 zabo		Tara / Tara:	25,5 Kg	
			Maks. obr. / Max.load:	800 Kg	
Dodaten opis / Addit. descr.:	Box KMK	Meja za ročno manip. / Manual handl. limit:	/		
Material:	Polipropilen	Notr. vol. / Inner vol.:	166 l		
Dimenzije / Dimensions (mm)			Transport / Transport		
	Zun./Out.	Not./Ins.			
D / L:	800	752	Na plast / Per layer:	/	
Š / W:	600	552	V višino / In height:	/	
V / H:	610	400			


Vrsta / Type			Teža-Volumen / Mass-volume		Nepripor. / Not preferred	
Mahle šifra / Mahle ID:	799002617		Tara / Tara:	46,1 Kg		
			Maks. obr. / Max.load:	1500 Kg		
Dodaten opis / Addit. descr.:	Box KMK		Meja za ročno manip. / Manual handl. limit:	/		
Material:	Polipropilen		Notr. vol. / Inner vol.:	346,5 l		
Dimenzije / Dimensions (mm)			Transport / Transport			
	Zun./Out.	Not./Ins.				
D / L:	1200	1152	Na plast / Per layer:	/		
Š / W:	800	752	V višino / In height:	/		
V / H:	610	400				


Vrsta / Type			Teža-Volumen / Mass-volume		Nepripor. / Not preferred	
Mahle šifra / Mahle ID:	799002618		Tara / Tara:	63,1 Kg		
			Maks. obr. / Max.load:	1500 Kg		
Dodaten opis / Addit. descr.:	Box KMK		Meja za ročno manip. / Manual handl. limit:	/		
Material:	Polipropilen		Notr. vol. / Inner vol.:	692 l		
Dimenzije / Dimensions (mm)			Transport / Transport			
	Zun./Out.	Not./Ins.				
D / L:	1200	1152	Na plast / Per layer:			
Š / W:	800	752	V višino / In height:			
V / H:	1050	800				


Vrsta / Type			Teža-Volumen / Mass-volume		Priporočeno / Preferred	
Mahle šifra / Mahle ID:	799000226		Tara / Tara:	7,2 Kg		
			Maks. obr. / Max.load:	1000 Kg		
Dodaten opis / Addit. descr.:	Paleta 1/2		Meja za ročno manip. / Manual handl. limit:			
Material:	Polipropilen		Notr. vol. / Inner vol.:			
Dimenzije / Dimensions (mm)			Transport / Transport			
	Zun./Out.					
D / L:	800		Na plast / Per layer:			
Š / W:	600		V višino / In height:			
V / H:	150					


Vrsta / Type		Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799000993	Tara / Tara:	1,7 Kg	
		Maks. obr. / Max.load:		
Dodaten opis / Addit. descr.:	Pokrov PYP-EURO	Meja za ročno manip. / Manual handl. limit:		
Material:	Polipropilen	Notr. vol. / Inner vol.:		
Dimenzije / Dimensions (mm)		Transport / Transport		
	Zun./Out.			
D / L:	810	Na plast / Per layer:		
Š / W:	610	V višino / In height:		
V / H:	70			

Vrsta / Type		Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799000963	Tara / Tara:	14 Kg	
		Maks. obr. / Max.load:	1250 Kg	
Dodaten opis / Addit. descr.:	Paleta PYP-EURO	Meja za ročno manip. / Manual handl. limit:		
Material:	Polipropilen	Notr. vol. / Inner vol.:		
Dimenzije / Dimensions (mm)		Transport / Transport		
	Zun./Out.			
D / L:	1200	Na plast / Per layer:		
Š / W:	800	V višino / In height:		
V / H:	150			

Vrsta / Type		Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799000964	Tara / Tara:	6,7 Kg	
		Maks. obr. / Max.load:		
Dodaten opis / Addit. descr.:	Pokrov PYP-EURO	Meja za ročno manip. / Manual handl. limit:		
Material:	Polipropilen	Notr. vol. / Inner vol.:		
Dimenzije / Dimensions (mm)		Transport / Transport		
	Zun./Out.			
D / L:	1210	Na plast / Per layer:		
Š / W:	810	V višino / In height:		
V / H:	80			

Vrsta / Type		Teža-Volumen / Mass-volume		Nepripor. / Not preferred
Mahle šifra / Mahle ID:	799000777	Tara / Tara:	24 Kg	
		Maks. obr. / Max.load:	1000 Kg	
Dodaten opis / Addit. descr.:	Euro paleta	Meja za ročno manip. / Manual handl. limit:		
Material:	Les / Wood	Notr. vol. / Inner vol.:		
Dimenzije / Dimensions (mm)		Transport / Transport		
	Zun./Out.			
D / L:	1200	Na plast / Per layer:		
Š / W:	800	V višino / In height:		
V / H:	144			

Vrsta / Type		Teža-Volumen / Mass-volume		Nepripor. / Not preferred
Mahle šifra / Mahle ID:	799000294	Tara / Tara:	42,5 Kg	
		Maks. obr. / Max.load:	700 Kg	
Dodaten opis / Addit. descr.:	Kovina / Metal / Metal	Meja za ročno manip. / Manual handl. limit:	/	
Material:	Kovina / Metal	Notr. vol. / Inner vol.:	180 l	
Dimenzije / Dimensions (mm)		Transport / Transport		
	Zun./Out.	Not./Ins.		
D / L:	800	760	Na plast / Per layer:	
Š / W:	600	550	V višino / In height:	
V / H:	735	430		

Vrsta / Type		Teža-Volumen / Mass-volume		Priporočeno / Preferred
Mahle šifra / Mahle ID:	799000312	Tara / Tara:	85 Kg	
		Maks. obr. / Max.load:	1000 Kg	
Dodaten opis / Addit. descr.:	Mreža box awe	Meja za ročno manip. / Manual handl. limit:		
Material:	Kovina / Metal	Notr. vol. / Inner vol.:	736 l	
Dimenzije / Dimensions (mm)		Transport / Transport		
	Zun./Out.	Not./Ins.		
D / L:	1240	1230	Na plast / Per layer:	
Š / W:	835	827	V višino / In height:	
V / H:	970	751		

MAHLE Electric  
Drives Slovenija d.o.o.  
Polje 15  
5290 Šempeter pri Gorici, Slovenia  
T: +386 5 339 3000  
F: +386 5 339 3801  
si.info@si.mahle.com

[www.mahle.com](http://www.mahle.com)